

# Technical Service Bulletin



## 17 Engine oils that meet Audi Oil Quality Standards 501 01, 502 00, 505 00, 505 01, and 504 00/507 00

17 11 16 2010043/11 June 6, 2011. Supersedes Technical Service Bulletin Group 17 number 10 – 08 dated June 18, 2010 for reasons listed below.

Model(s)	Year	VIN Range	Vehicle-Specific Equipment
All	1997 – 2012	All	Not Applicable

## Condition

REVISION HISTORY		
Revision	Date	Purpose
11	-	R8 GT required oil VW 501 01 and 505 00, added to list
10	6/18/2010	Revised header data (Controlling TSB display in ElsaWeb)
9	6/24/2009	Revised <i>Service</i>
8	4/6/2009	Revised header data (Added 2009 - 2010) Revised <i>Condition</i> Revised <i>Service</i>
7	11/21/2008	Revised Title to include Repair Group

Engine oils that meet Audi Oil Quality Standards VW 501 01, 502 00, 505 00, 505 01, and 504 00/507 00.

## Technical Background

Not applicable.

## Production Solution

Not applicable.

## Service

### Oil Quality

All Audi engines must always use engine oils that conform to the applicable Audi Oil Quality Standard. No other engine oils may be used. This also applies when topping off engine oil between services.

### Recommendation for Customers

It is recommended that the customer always carry a spare quart/liter of engine oil that conforms to the applicable Audi Oil Quality Standard in case the engine oil needs topping off while on the road. The spare quart/liter of oil should be stored in its original container, securely closed in the luggage compartment. Ensure the container is securely stowed.



### Note:

Use of the wrong oil may damage the engine. Damage caused by using the wrong oil will not be covered by the applicable vehicle warranties.

### Approved Engine Oils

Below are the lists of engine oils that currently meet Audi Oil Quality Standards VW 501 01, VW 502 00, VW 505 00, VW 505 01 and 504 00/507 00.

- The first four lists of products are comprised of oils that meet Audi Oil Quality Standard VW 501 01, VW 502 00, VW 505 00, VW 505 01, or VW 504 00/507 00 and are generally available in the North American market at the time of publication. The attachment lists products that meet Audi Oil Quality Standard VW 501 01, VW 502 00, VW 505 00, VW 505 01, or VW 504 00/507 00 available worldwide at the time of publication.
- Please refer to the specific *Vehicle Owner's Manual*, published Technical Service Bulletins and Fluid Capacity Charts to select the appropriate oil required for each Audi vehicle.
- The lists below are also posted on [www.audiusa.com](http://www.audiusa.com) and [www.audicanada.ca](http://www.audicanada.ca).

## PRODUCTS GENERALLY AVAILABLE IN NORTH AMERICA

### Audi Oil Quality Standard VW 501 01 VW 505 00 used exclusively for the R8 GT

Audi Oil Quality Standard	Manufacturer	Oil Type	Viscosity
VW 501 01 VW 505 00	Castrol	Edge Professional TWS Part Number: G 052 194 1L DSP	SAE 10W-60

# Technical Service Bulletin



## Audi Oil Quality Standard VW 502 00

Audi Oil Quality Standard	Manufacturer	Oil Type	Viscosity
VW 502 00	Castrol	ZVW 352 167	SAE 5W-30
VW 502 00	Castrol	ZVW 352 540	SAE 5W-40
VW 502 00	Agip	Agip synthetic PC	SAE 5W-40
VW 502 00	Blu Lubricants Inc.	Blu Synthetic-Technician Series FS	SAE 5W-30
VW 502 00	Bucher AG	MOTOREX Select LA-X	SAE 5W-30
VW 502 00	Caltex	Caltex Havoline Fully Synthetic	SAE 5W-40
VW 502 00	Castrol	Castrol SLX Professional Longtec	SAE 0W-40
VW 502 00	Castrol	Castrol SLX Professional OE	SAE 5W-30
VW 502 00	Castrol	Castrol Syntec European Formula	SAE 0W-30
VW 502 00	Castrol	Castrol TXT 505 01	SAE 5W-40
VW 502 00	Castrol	Castrol Syntec	SAE 5W-40
VW 502 00	Cepsa	Cepsa Star Mega Synthetic	SAE 5W-40
VW 502 00	Chevron	Havoline Ultra	SAE 5W-40
VW 502 00	Chevron	Havoline Ultra S	SAE 5W-30
VW 502 00	Chevron	Havoline Ultra S	SAE 5W-40
VW 502 00	Delek	Delek Motorsynth FE	SAE 5W-30
VW 502 00	Delek	Delek Motorsynth TDI	SAE 5W-40
VW 502 00	Elf	Elf Excellium Full tec	SAE 0W-30
VW 502 00	Elf	Elf Solaris LSX	SAE 5W-30
VW 502 00	Fuchs	Fuchs TITAN GT 1	SAE 5W-30
VW 502 00	Fuchs	Fuchs TITAN Supersyn	SAE 5W-40
VW 502 00	Fuchs	Fuchs TITAN Supersyn PLUS	SAE 5W-40
VW 502 00	Fuchs	Titan GT1	SAE 5W-30
VW 502 00	Igol	Process Compact M	SAE 5W-30

# Technical Service Bulletin



VW 502 00	Liqui Moly	Liqui Moly Leichtlauf HC 7	SAE 5W-40
VW 502 00	Liqui Moly	Liqui Moly Profi Premium	SAE 5W-40
VW 502 00	Liqui Moly	Liqui Moly Synthoil Longtime	SAE 0W-30
VW 502 00	Liqui Moly	Liqui Moly Diesel High Tech	SAE 5W-40
VW 502 00	Liqui Moly	Liqui Moly Nachfüll-Öl	SAE 5W-40
VW 502 00	Liqui Moly	Liqui Moly Pro-Engine M 400	SAE 5W-40
VW 502 00	Liqui Moly	Liqui Moly Top Tec 4100	SAE 5W-40
VW 502 00	Lotos	Lotos Quazar	SAE 0W-30
VW 502 00	Lotos	Lotos Quazar	SAE 5W-40
VW 502 00	Lotos	Lotos Quazar	SAE 5W-30
VW 502 00	Meguin	megol Motorenoel Low Emission	SAE 5W-40
VW 502 00	Meguin	megol Motorenoel Super Leichtlauf Multisynth	SAE 0W-30
VW 502 00	Meguin	Motorenoel Ultra Performance Longlife	SAE 5W-40
VW 502 00	Mobil	Mobil 1	SAE 0W-40
VW 502 00	Mobil	Mobil Syst S Special V	SAE 5W-30
VW 502 00	Motul	Motul 8100 X-cess	SAE 5W-40
VW 502 00	Motul	Motul 8100 X-clean	SAE 5W-40
VW 502 00	Motul	Motul 8100 X-max	SAE 5W-40
VW 502 00	Motul	Motul Specific 505 01 502 00 505 01	SAE 5W-40
VW 502 00	Northland	Synergy Synthetic EuroSyn	SAE 5W-40
VW 502 00	Pennzoil	Pennzoil Platinum European Formula	SAE 5W-40
VW 502 00	Pennzoil	Pennzoil Platinum European Formula Ultra Diesel	SAE 5W-30
VW 502 00	Pennzoil	Pennzoil Platinum Low SAPS	SAE 5W-30
VW 502 00	Pennzoil	Pennzoil Synthetic European Formula	SAE 5W-40
VW 502 00	Pentosin	Pento High Performance	SAE 5W-40
VW 502 00	Pentosin	Pento High Performance II	SAE 5W-40

# Technical Service Bulletin



VW 502 00	Pentosin	Pentospeed VS*	SAE 0W-30
VW 502 00	Pentosin	Pentosynth HC	SAE 5W-40
VW 502 00	Quaker State	Q European Engine Ultra Diesel	SAE 5W-30
VW 502 00	Quaker State	Q Horsepower Full Synthetic	SAE 5W-40
VW 502 00	Quaker State	Q European Formula Ultra	SAE 5W-30
VW 502 00	Quaker State	Q State Synquest Low SAPS	SAE 5W-30
VW 502 00	Redoil Italia	Challoils	SAE 5W-40
VW 502 00	Shell	Shell Helix Ultra	SAE 5W-40
VW 502 00	Shell	Shell Helix Ultra AX	SAE 5W-30
VW 502 00	SK energy	ZIC RV	SAE 5W-30
VW 502 00	SK energy	ZIC XQ	SAE 5W-40
VW 502 00	SK energy	ZIC XQ RV	SAE 5W-40
VW 502 00	Statoil	Statoil PRO Synthetic C	SAE 5W-40
VW 502 00	Total	Total Quartz 9000 Energy	SAE 5W-40
VW 502 00	Total	Total Quartz 9000 Energy	SAE 0W-30
VW 502 00	Total	Total Quartz INEO MC3	SAE 5W-30
VW 502 00	Valvoline	Valvoline SynPower HST	SAE 5W-40
VW 502 00	Valvoline	Valvoline SynPower MST	SAE 5W-30
VW 502 00	VAPS	Vapsoil	SAE 5W-30

# Technical Service Bulletin



## Audi Oil Quality Standard VW 505 01

Audi Oil Quality Standard	Manufacturer	Oil Type	Viscosity
VW 505 01	Castrol	G 052 167 A2	SAE 5W-40
VW 505 01	Blu Lubricants Inc	Blu Synthetic-Technician Series FS	SAE 5W-30
VW 505 01	Bucher AG	MOTOREX Select LA-X	SAE 5W-30
VW 505 01	Castrol	Castrol SLX Professional OE	SAE 5W-30
VW 505 01	Castrol	Castrol TXT 505 01	SAE 5W-40
VW 505 01	Chevron	Havoline Ultra S	SAE 5W-40
VW 505 01	Delek	Delkol Motorsynth TDI	SAE 5W-40
VW 505 01	Elf	Elf Solaris LSX	SAE 5W-30
VW 505 01	Fuchs	Fuchs TITAN Superssyn PLUS	SAE 5W-40
VW 505 01	Liqui Moly	Liqui Moly Diesel High Tec	SAE 5W-40
VW 505 01	Liqui Moly	Liqui Moly Nachfüll-Ölo	SAE 5W-40
VW 505 01	Liqui Moly	Liqui Moly Pro-Engine M 400	SAE 5W-40
VW 505 01	Liqui Moly	Liqui Moly Top Tec 4100	SAE 5W-40
VW 505 01	Meguin	megol Motorenoel Low Emmission	SAE 5W-40
VW 505 01	Mobil	Mobil Syst S Special V	SAE 5W-30
VW 505 01	Motul	Motul 8100 X-clean	SAE 5W-40
VW 505 01	Motul	Motul Specific 505 01 502 00 505 01	SAE 5W-40
VW 505 01	Pennzoil	Pennzoil Platinum European Ultra Diesel	SAE 5W-30
VW 505 01	Pennzoil	Pennzoil Platinum Low SAPS	SAE 5W-30
VW 505 01	Pentosin	Pento High Performance II	SAE 5W-40
VW 505 01	Pentosin	Pentosynth HC	SAE 5W-40
VW 505 01	Quaker State	Q European Engine Ultra Diesel	SAE 5W-30
VW 505 01	Quaker State	Q Synquest Low SAPS	SAE 5W-30
VW 505 01	Redoil Italia	Challoils Ultrasynt	SAE 5W-40

Page 6 of 8 plus attachment

© 2011 Audi of America, Inc.

All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Audi of America, Inc., its affiliated companies and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, nor may these materials be modified or reposted to other sites, without the prior expressed written permission of the publisher.

# Technical Service Bulletin



VW 505 01	Shell	Shell Helix Ultra AX	SAE 5W-30
VW 505 01	Statoil	Statoil PRO Synthetic C	SAE 5W-40
VW 505 01	Total	Total Quartz INEO MC3	SAE 5W-30
VW 505 01	Valvoline	Valvoline SynPower HST	SAE 5W-40
VW 505 01	Valvoline	Valvoline SynPower MST	SAE 5W-30
VW 505 01	VAPS	Vapsoil 505 01	SAE 5W-30
VW 505 01	Lotos	Lotos Quazar C3	SAE 5W-30
VW 505 01	Lotos	Lotos Quazar	SAE 5W-40
VW 505 01	YPF	Elaion Full Performance SM	SAE 5W-40
VW 505 01	YPF	Elaion Full Performance Tdi	SAE 5W-40
VW 505 01	YPF	Elaion Plus	SAE 5W-40

## Audi Oil Quality Standard VW 504 00 / 507 00

Audi Oil Quality Standard	Manufacturer	Oil Type	Viscosity
VW 504 00 / 507 00	Castrol	GAU 052 195 M2	SAE 5W-30
VW 504 00 / 507 00	Castrol	G 052 195 1L	SAE 5W-30
VW 504 00 / 507 00	BP	BP Visco 7000 Longlife III	SAE 5W-30
VW 504 00 / 507 00	Castrol	Castrol SLX Professional Longlife III	SAE 5W-30
VW 504 00 / 507 00	Denicol	Denicol SYN Extra Long Life III	SAE 5W-30
VW 504 00 / 507 00	Elf	Elf Solaris LLX	SAE 5W-30
VW 504 00 / 507 00	Liqui Moly	Liqui Moly Pro-Engine M 600	SAE 5W-30

**Page 7 of 8 plus attachment**

© 2011 Audi of America, Inc.

All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Audi of America, Inc., its affiliated companies and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, nor may these materials be modified or reposted to other sites, without the prior expressed written permission of the publisher.

# Technical Service Bulletin



VW 504 00 / 507 00	Liqui Moly	Liqui Moly Top Tec 4200	SAE 5W-30
VW 504 00 / 507 00	Meguin	megol Motorenoel Compatible	SAE 5W-30
VW 504 00 / 507 00	Mobil	Mobil 1 ESP Formula	SAE 5W-30
VW 504 00 / 507 00	Morris Lubricants	Multilife V-MAX	SAE 5W-30
VW 504 00 / 507 00	Pennzoil	Pennzoil Platinum VX	SAE 5W-30
VW 504 00 / 507 00	Pentosin	Pento Super Performance III	SAE 5W-30
VW 504 00 / 507 00	Quaker State	Q Diesel Plus	SAE 5W-30
VW 504 00 / 507 00	Quaker State	Q European Engine VX	SAE 5W-30
VW 504 00 / 507 00	Sinopec	Great Wall Ultra Gold V5457	SAE 5W-30
VW 504 00 / 507 00	Statoil	Statoil LazerWay LL	SAE 5W-30
VW 504 00 / 507 00	Total	Total Quartz Ineo 504/507	SAE 5W-30

## Warranty

This TSB is informational only and not applicable to any Audi warranty.

## Additional Information

All parts and service references provided in this TSB are subject to change and/or removal. Always check with your Parts Department and service manuals for the latest information.



This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

Manufacturer	Oil Type	Viscosity
ACT	Voltronic Motor Oil	SAE 5W-40
Adamol	Adamol Multitop PDI	SAE 5W-40
Adamol	Adamol Multitop VSI	SAE 0W-40
Addinol	Addinol Eco Light	SAE 5W-40
Addinol	Addinol Super light MV 0546	SAE 5W-40
Addinol	Extra Light MV 038	SAE 0W-30
Addinol	Extra Power MV 0538 LE	SAE 5W-30
Addinol	High Star	SAE 5W-40
Adnoc	Adnoc Image	SAE 5W-40
Agip	Agip 7004	SAE 5W-40
Agip	Agip Extra HTS	SAE 5W-40
Agip	Agip Formula Prestige	SAE 5W-40
Agip	Agip Sint Evolution	SAE 5W-40
Agip	Agip Sint Turbo Diesel Evolution	SAE 5W-40
Agip	Agip Synthetic PC	SAE 5W-40
Agip	Agip Tec sint	SAE 5W-30
Agip	Agip Tec sint SL	SAE 5W-40
Aral	Aral High Tronic	SAE 5W-40
Aral	Aral P 426	SAE 0W-40
Aral	Aral SuperSynth	SAE 0W-40
Aral	Aral SuperTronic	SAE 0W-40
Aral	Aral SuperTronic Diesel	SAE 0W-40
Aral	Aral SuperTronic G	SAE 0W-30
Aral	Aral Tronic 431	SAE 5W-40
Armorine	Armorine Cougar	SAE 5W-40
Auto-Teile-Ring	Cartechnic Motorenöl	SAE 5W-40
Auto-Teile-Ring	Cartechnic Motorenöl MS	SAE 5W-30
Avia	Avia Synth	SAE 5W-40
Beijing Tongyi Petroleum	Xin Gai Nian	SAE 5W-40
Blu Lubricants Inc	Blu Synthetic - Technician Series FS	SAE 5W-30
BP	BP EuroSpirit	SAE 5W-40
BP	BP Professional EURO Plus	SAE 5W-40
BP	BP Visco 5000	SAE 5W-40
BP	BP Visco 5000 C	SAE 5W-40
BP	BP Visco 5000 Turbo Diesel	SAE 5W-40
BP	BP Visco 7000	SAE 0W-40
BP	BP Visco 7000 M	SAE 0W-30
BP	BP Visco 7000 Sport	SAE 5W-40
BP	BP Visco 7000 Turbo Diesel	SAE 0W-40
BP	BP Visco 7000 Turbo Diesel Sport	SAE 5W-40
BP	BP Visco 7000M	SAE 0W-30

This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

BP	BP Visco Special V	SAE 5W-40
Bucher AG	MOTOREX PROFILE V-XL	SAE 5W-40
Bucher AG	MOTOREX Select LA-X	SAE 5W-30
Bucher AG	MOTOREX Select SP-X	SAE 5W-30
Caltex	Caltex Havoline Fully Synthetic	SAE 5W-40
Car Jack	Car Jack GPD	SAE 5W-40
Carat	ad-Diesel PD Oil	SAE 5W-40
Carat	ad-Synt Oil	SAE 5W-40
Castrol	Castrol DCO Top Up	SAE 0W-30
Castrol	Castrol Edge	SAE 0W-30
Castrol	Castrol Edge	SAE 5W-40
Castrol	Castrol Edge	SAE 0W-40
Castrol	Castrol Edge Sport	SAE 0W-40
Castrol	Castrol Edge Turbo Diesel	SAE 5W-40
Castrol	Castrol Edge Turbo Diesel	SAE 0W-30
Castrol	Castrol Formula SLX Long Tec Turbo Diesel	SAE 0W-30
Castrol	Castrol GTX 9 Magnatec	SAE 5W-30
Castrol	Castrol GTX Magnatec	SAE 5W-30
Castrol	Castrol GTX Magnatec C3	SAE 5W-30
Castrol	Castrol Magnatec	SAE 5W-30
Castrol	Castrol Magnatec C3	SAE 5W-30
Castrol	Castrol Magnatec C3	SAE 5W-40
Castrol	Castrol Magnatec Diesel B4	SAE 5W-40
Castrol	Castrol Magnatec Diesel C3	SAE 5W-40
Castrol	Castrol Magnatec Professional B4	SAE 5W-40
Castrol	Castrol Magnatec Professional C3	SAE 5W-30
Castrol	Castrol Magnatec Professional C3	SAE 5W-40
Castrol	Castrol SLX	SAE 0W-30
Castrol	Castrol SLX 505 01	SAE 5W-40
Castrol	Castrol SLX Longtec	SAE 0W-30
Castrol	Castrol SLX Professional	SAE 5W-40
Castrol	Castrol SLX Professional 505 01	SAE 5W-40
Castrol	Castrol SLX Professional B4	SAE 5W-30
Castrol	Castrol SLX Professional C3	SAE 5W-30
Castrol	Castrol SLX Professional C3 TD	SAE 0W-30
Castrol	Castrol SLX Professional Longtec	SAE 0W-30
Castrol	Castrol SLX Professional Longtec	SAE 0W-40
Castrol	Castrol SLX Professional OE	SAE 5W-30
Castrol	Castrol SLX Professional Powerflow	SAE 0W-30
Castrol	Castrol SLX Professional Powerflow C3	SAE 0W-30
Castrol	Castrol Syntec European Formula	SAE 0W-30
Castrol	Castrol TXT 505 01	SAE 5W-40

This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

Castrol	Castrol TXT Softec	SAE 5W-40
Castrol	Castrol Edge Formula RS	SAE 0W-40
Castrol	Castrol Syntec	SAE 5W-40
Cepsa	Cepsa Star Mega Synthetic	SAE 5W-40
Chevron	Havoline Synthetic DS	SAE 0W-30
Chevron	Havoline Ultra	SAE 5W-40
Chevron	Havoline Ultra S	SAE 5W-40
Chevron	Havoline Ultra S	SAE 5W-30
Cyclon Hellas	Cyclon F1 Racing	SAE 5W-40
Delek	Delkol Motorsynth FE	SAE 5W-30
Delek	Delkol Motorsynth TDI	SAE 5W-40
Duckhams	Duckhams Q Fully Synthetic	SAE 5W-40
Duckhams	Duckhams QS Premium MO	SAE 5W-40
Elf	Elf Excellium C3	SAE 5W-30
Elf	Elf Excellium DID	SAE 5W-40
Elf	Elf Excellium DID	SAE 5W-30
Elf	Elf Excellium Full tech	SAE 0W-30
Elf	Elf Solaris LSX	SAE 5W-30
Elf	Elf Excellium	SAE 0W-30
Engen Petroleum	Engen Formula 505.01	SAE 5W-40
Engen Petroleum	Engen Xtreme	SAE 5W-40
Enoc	Enoc Protec X-treme	SAE 5W-40
Esso	Esso 50501	SAE 5W-30
Esso	Esso Megatron	SAE 5W-40
Esso	Esso Ultron	SAE 5W-40
Esso	Esso Ultron Turbo Diesel	SAE 5W-40
Eurol	Eurol Super Lite	SAE 5W-40
Eurol	Eurol Turbo DI	SAE 5W-40
Eurol	XADO SL/CF	SAE 5W-40
FAW-Sihuan Petrofer	Huan Lu	SAE 5W-40
Fina	Fina First 500	SAE 5W-30
Fina	Fina First 600	SAE 0W-30
FL Selenia	Selenia Aktual Fully Synth	SAE 5W-40
FL Selenia	Selenia Benzina Multi Valves Generation	SAE 5W-40
FL Selenia	Selenia Diesel Common Rail Generation	SAE 5W-40
FL Selenia	Selenia DIGITECH	SAE 0W-30
FL Selenia	Selenia K	SAE 5W-40
FL Selenia	Selenia K Pure Energy	SAE 5W-40
FL Selenia	Selenia Multipower C3	SAE 5W-30
FL Selenia	Selenia WR	SAE 5W-40
Fuchs	Fuchs TITAN GT1	SAE 5W-30
Fuchs	Fuchs TITAN Supersyn	SAE 0W-30

This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

Fuchs	Fuchs TITAN Supersyn	SAE 5W-40
Fuchs	Fuchs TITAN Supersyn LONGLIFE	SAE 5W-30
Fuchs	Fuchs TITAN Supersyn PLUS	SAE 5W-40
Galp energia	Galp Energy Plus	SAE 5W-40
Galp energia	Galp Energy Ultra LS	SAE 5W-40
Galp energia	Galp Formula 1 Plus	SAE 5W-40
Galp energia	Galp Formula 505	SAE 5W-40
Galp energia	Galp Formula TD Plus	SAE 5W-40
GEMA	Formula	SAE 10W-40
GEMA	Formula S	SAE 5W-40
Ginouves	York 848	SAE 5W-40
Ginouves	York 948	SAE 5W-30
Gulf Oil	Gulf Formula ULE	SAE 5W-30
Igol	Igol Process 505.01	SAE 5W-40
Igol	Igol Process Compact M	SAE 5W-30
Igol	Igol Profive 505.01	SAE 5W-40
Igol	Igol Profive Gold	SAE 5W-40
Igol	Igol Profive Silver	SAE 5W-30
INA	INA Millennium	SAE 5W-40
IP	IP SINTIAX 505 EXCLUSIV	SAE 5W-40
Jet	Jet Top Level	SAE 0W-40
Kuttenkeuler	Sorotec Pdi	SAE 5W-40
Kuwait Petroleum	Q8 Formula Excel	SAE 5W-40
Liqui Moly	Liqui Moly Leichlauf HC 7	SAE 5W-40
Liqui Moly	Liqui Moly Profi Premium	SAE 5W-40
Liqui Moly	Liqui Moly Synthoil Longtime	SAE 0W-30
Liqui Moly	Liqui Moly Diesel High Tech	SAE 5W-40
Liqui Moly	Liqui Moly Leichtlauf Special LL	SAE 5W-30
Liqui Moly	Liqui Moly Longtime High Tech	SAE 5W-30
Liqui Moly	Liqui Moly Nachfüll-Öl	SAE 5W-40
Liqui Moly	Liqui Moly Pro-Engine M 300	SAE 5W-30
Liqui Moly	Liqui Moly Pro-Engine M 400	SAE 5W-40
Liqui Moly	Liqui Moly Pro-Engine M 500	SAE 5W-30
Liqui Moly	Liqui Moly Top Tec 4100	SAE 5W-40
Lotos	Lotos Economic SL/CF	SAE 5W-30
Lotos	Lotos Quazar	SAE 0W-30
Lotos	Lotos Quazar	SAE 5W-40
Lotos	Lotos Quazar C3	SAE 5W-30
Lotos	Lotos Syntetic SL/SJ/CF/CD	SAE 5W-40
Lotos	Lotos Traffic Diesel 505.01	SAE 5W-40
Lotos	Lotos Traffic Thermal Control SL/CF	SAE 5W-40
Lotos	Lotos Traffic Turbodiesel CF	SAE 5W-40

This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

Lukoil	Lukoil Synthetic	SAE 5W-40
Meguin	megol Motorenoel Low Emission	SAE 5W-40
Meguin	megol Motorenoel New Generation	SAE 5W-30
Meguin	megol Motorenoel Power Synt	SAE 10W-40
Meguin	megol Motorenoel Super Leichtlauf Multisynth	SAE 0W-30
Meguin	megol Motorenoel Ultra Performance Longlife	SAE 5W-40
Meguin	megol Motorenoil Quality	SAE 5W-30
Meguin	Motorenoel Ultra Performance Longlife	SAE 5W-40
Meister-Öl	Meister-Öl Leichtlauf-Motorenöl	SAE 5W-40
Meister-Öl	Meister-Öl Super Leichtlauf-Motorenöl	SAE 5W-40
Mobil	Mobil 1	SAE 0W-40
Mobil	Mobil 1	SAE 5W-40
Mobil	Mobil 1 New Life	SAE 0W-40
Mobil	Mobil 1 New Life Turbo Diesel	SAE 0W-40
Mobil	Mobil 1 Turbo Diesel	SAE 0W-40
Mobil	Mobil 1 Turbo Diesel	SAE 5W-40
Mobil	Mobil Motor Oil Plus	SAE 5W-40
Mobil	Mobil Special X	SAE 5W-40
Mobil	Mobil Super 3000 X1	SAE 5W-40
Mobil	Mobil Synt S	SAE 5W-40
Mobil	Mobil Syst S ESP	SAE 5W-30
Mobil	Mobil 1 Arctic	SAE 0W-40
Mobil	Mobil 1 Formula C	SAE 0W-40
Mobil	Mobil Formula X2	SAE 5W-40
Mobil	Mobil Special X	SAE 5W-40
Mobil	Mobil Super 3000 X1	SAE 5W-40
Mobil	Mobil Super 3000 X2	SAE 5W-40
Mobil	Mobil Super 3000 X2 Turbo Diesel	SAE 5W-40
Mobil	Mobil Synt S	SAE 5W-40
Mobil	Mobil Synt S Turbo Diesel	SAE 5W-40
Mobil	Mobil Syst S Special V	SAE 5W-30
Modrica	Optima Eco	SAE 5W-30
MOL	MOL Dynamic Gold	SAE 5W-30
MOL	MOL Dynamic Max	SAE 10W-40
MOL	MOL Dynamic Prima	SAE 5W-40
Motul	Motul 8100 X-cess	SAE 5W-40
Motul	Motul 8100 X-clean	SAE 5W-40
Motul	Motul 8100 X-max	SAE 5W-30
Motul	Motul 8100 X-max	SAE 5W-40
Motul	Motul Specific 505 01 502 00 505 01	SAE 5W-40
Motul	Motul Synergie	SAE 5W-40
MRD	Motor Gold Highline	SAE 0W-30

This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

MRD	Motor Gold Supertec	SAE 5W-40
Neste Oil	Neste City Pro	SAE 5W-40
NIS Oil Refinery Beograd	Galax Sint 502	SAE 10W-40
Norsk-Pennsylvansk	DynoCat Neutron CXS	SAE 5W-30
Norsk-Pennsylvansk	DynoCat Neutron CXS	SAE 5W-40
Northland	Synergy Synthetic EuroSyn	SAE 5W-40
Oel-Brack	Midland Synova	SAE 5W-40
Oel-Brack	Midland Synqron	SAE 5W-40
Oest	Oest Gigant LS Plus	SAE 5W-30
Ölwerke Julius Schindler	OJS Econo Veritas XL-HC	SAE 5W-40
Ölwerke Julius Schindler	OJS Econo-Veritas OM Extra	SAE 0W-30
Ölwerke Julius Schindler	OJS Econo-Veritas XV	SAE 5W-40
Ölwerke Julius Schindler	OJS Engine Oil	SAE 5W-40
Ölwerke Julius Schindler	OJS Meister-Öl Premium-Motorenöl	SAE 0W-40
Ölwerke Julius Schindler	OJS Platinum Vollsynthese	SAE 0W-40
Ölwerke Julius Schindler	OJS Veritas Syntolube	SAE 0W-40
OMV	OMV BIXXOL extra	SAE 10W-40
OMV	OMV BIXXOL extra Diesel	SAE 10W-40
OMV	OMV BIXXOL premium	SAE 5W-40
OMV	OMV BIXXOL premium Diesel	SAE 5W-40
OMV	OMV BIXXOL special C3	SAE 5W-30
OMV	OMV BIXXOL special G	SAE 5W-30
OMV	OMV control light	SAE 10W-40
OMV	OMV syn com SAE 5W-40	SAE 5W-40
Orlen Oil	Orlen Platinum MaxEnergy Euro 4	SAE 5W-30
Orlen Oil	Orlen Platinum Vollsynthese	SAE 0W-40
Paramo	Mogul Extreme	SAE 5W-40
Paz Lubricants & Chemicals Ltd	Top Paz	SAE 5W-40
Pennzoil	Pennzoil Platinum European Formula	SAE 5W-40
Pennzoil	Pennzoil Platinum European Formula Ultra	SAE 5W-30
Pennzoil	Pennzoil Platinum European Ultra Diesel	SAE 5W-30
Pennzoil	Pennzoil Platinum Low SAPS	SAE 5W-30
Pentosin	Pento High Performance	SAE 5W-30
Pentosin	Pento High Performance	SAE 5W-40
Pentosin	Pento High Performance II	SAE 5W-40
Pentosin	Pentospeed VS*	SAE 0W-30
Pentosin	Pentosynth HC	SAE 5W-40
Petro China	Kunlun Tianrun	SAE 5W-40
Petro China	Kunlun Tianyuan SM	SAE 5W-40
Profi-Tech	Profi-Car Synth Tech XT	SAE 5W-40
PTT Public Company Limited	Performa Euro Syn	SAE 5W-40

This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

Quaker State	Q European Engine Ultra	SAE 5W-40
Quaker State	Q European Engine Ultra	SAE 5W-30
Quaker State	Q European Engine Ultra Diesel	SAE 5W-30
Quaker State	Q Horsepower Full Synthetic	SAE 5W-40
Quaker State	Q Synquest	SAE 5W-40
Quaker State	Q Synquest Low SAPS	SAE 5W-30
Quantum	Quantum PD Diesel	SAE 5W-40
Quantum	Quantum Synta ED	SAE 0W-30
Quantum	Quantum Synta Gold	SAE 5W-40
Rafinerija Modrica	Galax Racing	SAE 5W-40
Raloy	Raloy Genuine Engine Oil	SAE 5W-40
Ravenol	Ravenol Hydrocrack Synth. HCS	SAE 5W-40
Ravenol	Ravenol Super Synthetic SSO	SAE 0W-30
Ravenol	Ravenol VPD	SAE 5W-40
Ravenol	Ravenol VSI	SAE 5W-40
real	real,- Quality GSR	SAE 5W-30
real	real,- Quality GPD	SAE 5W-40
Redoil Italia	Challoils Ultrasynt	SAE 5W-40
Repsol	Repsol Elite 50501 TDI	SAE 5W-40
Repsol	Repsol Elite Competicion	SAE 5W-40
Repsol	Repsol Elite Multivalvulas	SAE 10W-40
Rothen Oil	Rothen Extrasynth	SAE 5W-30
Rowe	Rowe Hightec Synth RS 5W-40i	SAE 5W-40
Rowe	Rowe Synt - HC	SAE 5W-40
Rowe	Rowe Synt PD	SAE 5W-40
Rowe	Rowe Synt RS DLS	SAE 5W-30
Rowe	Rowe Synt RS HC-FE	SAE 5W-30
Shanghai Lizhong	LUHU	SAE 5W-40
Shanghai Tempo Petrochem	Tempo 8000-1C	SAE 5W-40
Shell	PKW Motorenöl	SAE 5W-40
Shell	Shell Helix Diesel HX7 C	SAE 5W-40
Shell	Shell Helix Diesel Plus	SAE 5W-30
Shell	Shell Helix Diesel Plus	SAE 5W-40
Shell	Shell Helix Diesel Plus VA	SAE 5W-30
Shell	Shell Helix Diesel Ultra	SAE 0W-40
Shell	Shell Helix Diesel Ultra	SAE 5W-30
Shell	Shell Helix Diesel Ultra	SAE 5W-40
Shell	Shell Helix Diesel Ultra E	SAE 5W-30
Shell	Shell Helix Diesel Ultra VA	SAE 5W-30
Shell	Shell Helix HX7	SAE 5W-30
Shell	Shell Helix HX7	SAE 5W-40
Shell	Shell Helix HX7 C	SAE 5W-40

This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

Shell	Shell Helix Plus	SAE 5W-40
Shell	Shell Helix Plus	SAE 10W-40
Shell	Shell Helix Plus	SAE 5W-30
Shell	Shell Helix Plus AR	SAE 10W-40
Shell	Shell Helix Plus Extra	SAE 5W-40
Shell	Shell Helix Plus S	SAE 5W-30
Shell	Shell Helix Plus S	SAE 5W-40
Shell	Shell Helix Plus SM	SAE 5W-40
Shell	Shell Helix Plus SM	SAE 5W-30
Shell	Shell Helix Plus VB	SAE 10W-40
Shell	Shell Helix Premium	SAE 5W-40
Shell	Shell Helix Ultec	SAE 0W-40
Shell	Shell Helix Ultra	SAE 0W-40
Shell	Shell Helix Ultra	SAE 5W-30
Shell	Shell Helix Ultra	SAE 5W-40
Shell	Shell Helix Ultra AM	SAE 5W-30
Shell	Shell Helix Ultra AM	SAE 5W-40
Shell	Shell Helix Ultra AX	SAE 5W-30
Shell	Shell Helix Ultra C	SAE 0W-40
Shell	Shell Helix Ultra E	SAE 5W-30
Shell	Shell Helix Ultra Extra Polar	SAE 0W-40
Shell	Shell PKW Motorenöl	SAE 5W-40
Singapore Petroleum	SPC Syn Ace API SM/CF	SAE 5W-40
Sinopec	Polar Star III	SAE 5W-40
Sinopec	Ultra Gold	SAE 5W-40
SK energy	ZIC RV	SAE 5W-30
SK energy	ZIC XQ	SAE 5W-40
SK energy	ZIC XQ RV	SAE 5W-40
S-Oil Corporation	SSU EURO XT	SAE 5W-40
S-Oil Corporation	SSU EURO XT	SAE 5W-30
Sonol	Sonol Synt 502.00	SAE 5W-40
SRS	SRS ViVA 1 longlife	SAE 5W-30
SRS	SRS ViVA 1 topsynth	SAE 5W-40
SRS	SRS ViVA 1 topsynth alpha	SAE 5W-30
SRS	SRS ViVA 1 topsynth alpha LA	SAE 5W-30
Startol	Startol Rasanta Specialsynth Pdi	SAE 5W-40
Statoil	Statoil LazerWay	SAE 5W-40
Statoil	Statoil LazerWay TDI	SAE 5W-40
Statoil	Statoil PRO Synthetic	SAE 5W-40
Statoil	Statoil PRO Synthetic C	SAE 5W-40
Sunlight	Sunlight Fullypower F-1A	SAE 5W-40
SWD	Concep-Tech HDC	SAE 5W-40



This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

SWD	GECCO Motorenöl HC	SAE 5W-40
SWD	swd PRIMUS DX	SAE 5W-30
SWD	swd Primus HDC	SAE 5W-40
TACTI Corporation	Castle Euaro 502	SAE 5W-40
Tamoil	Tamoil SINT FUTURE EXTRA	SAE 5W-40
Tamoil	Tamoil SINT FUTURE RACING	SAE 5W-40
Tecar	Tecar 50501	SAE 5W-30
Tecar	Tecar Leichtlaufmotorenoel	SAE 5W-40
Tecar	Tecar Motorenoel 505 01	SAE 5W-30
Tecar	Tecar Supersyn	SAE 5W-40
Tedex	Tedex Synthetic Motor Oil	SAE 5W-40
TNK Lubricant LLC	TNK Magnum Synthetic	SAE 5W-40
Total	Total Activa 9000	SAE 5W-40
Total	Total Activa Diesel 9000	SAE 5W-40
Total	Total Activa Energy 9000	SAE 0W-30
Total	Total Quartz 9000	SAE 5W-40
Total	Total Quartz 9000 Energy	SAE 5W-40
Total	Total Quartz 9000 Energy	SAE 0W-30
Total	Total Quartz INEO MC3	SAE 5W-30
Unil Opal	Opaljet 24 S	SAE 5W-40
United Oil	United 1 Fully Synthetic	SAE 5W-40
Valvoline	Valvoline SynPower	SAE 5W-30
Valvoline	Valvoline SynPower HST	SAE 5W-40
Valvoline	Valvoline SynPower MST	SAE 5W-40
Valvoline	Valvoline SynPower MST	SAE 5W-30
VAPS	VAPSOIL 502 00	SAE 5W-40
VAPS	VAPSOIL 505 01	SAE 5W-30
Vial Oil	Consol Ultima	SAE 5W-40
Vic-Hung	ONEWAY	SAE 5W-40
Volkswagen Original Teile ®	Volkswagen Special plus	SAE 5W-40
Weco	Weco TXI Syntolube	SAE 5W-40
Westfalen AG	Westfalen Gigatron	SAE 0W-40
Westfalen AG	Westfalen Mega Tron	SAE 5W-40
Wolf	Wolf Masterlube Synflow DC	SAE 5W-40
Wolf	Wolf Masterlube Synflow PI	SAE 5W-40
Würth	Triathlon Formula LL	SAE 5W-30
Würth	Triathlon Performance	SAE 5W-40
Würth	Triathlon Special PD	SAE 5W-40
Yacco	Yacco VX 1703 FAP	SAE 5W-40
Yacco	Yacco VX 1703 FAP	SAE 5W-30
Yacco	Yacco VX 600	SAE 5W-40
Zeller+Gmelin	Divinol Syntholight	SAE 5W-40

This attachment lists products which meet Audi Oil Quality Standard VW 502 00, VW 505 01, or VW 504 00/507 00 and are generally available worldwide at the time of publication.

Note: Not all oils listed may be available in North America

---